




air pollution control district  
SANTA BARBARA COUNTY

Agenda Item: E-3  
Agenda Date: January 16, 2025  
Agenda Placement: Admin  
Estimated Time: N/A  
Continued Item: No

## Board Agenda Item

TO: Air Pollution Control District Board

FROM: Aeron Arlin Genet, Air Pollution Control Officer 

CONTACT: Kaitlin McNally, Compliance Division Manager, (805) 979-8298

SUBJECT: Notice of Violation Report

---

### RECOMMENDATION:

Receive and file the attached summary of notices of violation issued and penalty revenue received during the months of November and December 2024.

### DISCUSSION:

Pursuant to Section 40752 of the California Health and Safety Code, the Air Pollution Control Officer shall observe and enforce Part 3 and Part 4 of Division 26 of the Health and Safety Code, all orders, rules, and regulations prescribed by the District Board, all variances and orders prescribed by the District Hearing Board, and all permit conditions imposed pursuant to the District permit program.

In order to keep your Board informed of the enforcement actions taken by the Air Pollution Control Officer, the attached reports list a summary of the notices of violation issued and the penalty revenue received during the months indicated.

### ATTACHMENTS:

- A. NOV Report, November 2024.
- B. NOV Report, December 2024.

ATTACHMENT A

Notice of Violations  
November, 2024

January 16, 2025

Santa Barbara County Air Pollution Control District  
Board of Directors

260 San Antonio Road, Suite A  
Santa Barbara, California 93110

**Notices of Violation Issued November 2024**

<b>Nov #</b>	<b>Facility</b>	<b>Company</b>	<b>Location</b>	<b>Violation Description</b>	<b>Self Reported</b>	<b>Violation Issued</b>	<b>Rule</b>
13839	Lompoc Oil and Gas Plant	Freeport-McMoRan Oil & Gas, LLC.	Lompoc	Failed to control emissions of produced gas at all times		11/06/2024	325
13840	Church St, 810 W. (MVFF)	City of Santa Maria	Santa Maria	Failed an initial Vapor Recovery System test		11/07/2024	206, 316
13841	Blosser, 1611 S. (MVFF)	NAPHT, LLC	Santa Maria	Failed an initial Vapor Recovery System test		11/08/2024	206, 316
13842	Google - Castilian Drive	Google, LLC.	Goleta	Failed to meet boiler tuning requirements		11/08/2024	206
13843	Main St, 815 W. #0693 (MVFF)	Apro, LLC.	Santa Maria	Failed an initial Vapor Recovery System test		11/13/2024	206, 316
13844	Ellwood Onshore Facility	Bell Canyon Recreation, LLC.	Goleta	Failed to operate, calibrate, and maintain 6 fenceline H2S detectors in 1H 2024	x	11/15/2024	206
13845	Ellwood Onshore Facility	Bell Canyon Recreation, LLC.	Goleta	Failed to operate, calibrate, and maintain 6 fenceline H2S detectors in 2H 2024	x	11/15/2024	206
13846	Ellwood Onshore Facility	Bell Canyon Recreation, LLC.	Goleta	Failed to transmit monitoring data to the District's Data Acquisition System and maintain process monitoring systems from May 30, 2024 through August 22, 2024	x	11/15/2024	206
13836	Primetime Farms, Inc.	Primetime Farms, Inc.	Carpinteria	Failed to submit a complete Permit to Operate application by the due date		11/18/2024	206
13837	Primetime Farms, Inc.	Primetime Farms, Inc.	Carpinteria	Failed to submit an Odor Control System Inspection and Monitoring Plan by the due date		11/18/2024	206
13838	Primetime Farms, Inc.	Primetime Farms, Inc.	Carpinteria	Failed to maintain required records		11/18/2024	206
13849	Crystal Cleaners	Crystal Cleaners	Santa Maria	Failed to maintain required records		11/20/2024	206
13850	Elings Park Landfill	City of Santa Barbara	Santa Barbara	Failed to maintain required combustion temperature records	x	11/20/2024	206
13851	K & K Cleaners and Alterations	One Hour Valley Cleaners-Santa Maria	Santa Maria	Failed to submit a Transfer of Ownership application by the due date		11/22/2024	206
13852	K & K Cleaners and Alterations	One Hour Valley Cleaners-Santa Maria	Santa Maria	Failed to maintain required records		11/22/2024	206
13853	Broadway, 1611 S. (MVFF)	Anita's Spirit	Santa Maria	Failed an initial Vapor Recovery System test		11/22/2024	206, 316
13818	Tunnell Lease	Asphalta, LLC.	Santa Maria	Operated a gas scrubber vessel beyond the Source Compliance Demonstration Period		11/22/2024	201, 206
13819	Tunnell Lease	Asphalta, LLC.	Santa Maria	Operated 5 oil and gas wells beyond the Source Compliance Demonstration Period		11/22/2024	201, 206
13820	Tunnell Lease	Asphalta, LLC.	Santa Maria	Operated a steam generator beyond the Source Compliance Demonstration Period		11/22/2024	201, 206
13821	Tunnell Lease	Asphalta, LLC.	Santa Maria	Operated a gas gathering compressor beyond the Source Compliance Demonstration Period		11/22/2024	201, 206
13822	Tunnell Lease	Asphalta, LLC.	Santa Maria	Operated a liquid knockout vessel and 2 gas chillers beyond the Source Compliance Demonstration Period		11/22/2024	201, 206
13854	Main St, 1144 W. (MVFF)	Tesoro Refining & Marketing Company LLC	Santa Maria	Operated beyond the Source Compliance Demonstration Period, and failed to submit a Permit to Operate application by the due date		11/25/2024	201, 206
13855	Broadway, 2164 S. (MVFF)	Tesoro Refining & Marketing Company LLC	Santa Maria	Operated beyond the Source Compliance Demonstration Period, and failed to submit a Permit to Operate application by the due date		11/25/2024	201, 206
13861	County of Santa Barbara - Tajiguas Anaerobic Digestion	County of Santa Barbara - Public Works	Goleta	Failed to submit source test results by due date		11/27/2024	206
13863	Imerys Filtration Minerals, Inc.	Imerys Filtration Minerals, Inc.	Lompoc	Failed to conduct source testing by due date		11/27/2024	206

Nov #	Facility	Company	Location	Violation Description	Self Reported	Violation Issued	Rule
13828	Space Exploration Technologies	Space Exploration Technologies	VSFB	Failed to meet boat trip requirements on 6/3/2024 - 6/8/2024 including exceeded fuel use, operational hours, and maximum speed; and failed to submit Boat Trip Report by due date		11/30/2024	206
13829	Space Exploration Technologies	Space Exploration Technologies	VSFB	Failed to meet boat trip requirements on 6/10/2024 - 6/14/2024 including exceeded fuel use and operational hours; and failed to submit Boat Trip Report by due date		11/30/2024	206

**Penalty Settlement Payments Received November 2024**

<b>Nov #</b>	<b>Facility</b>	<b>Company</b>	<b>Location</b>	<b>Violation Description</b>	<b>Self Reported</b>	<b>Violation Issued</b>	<b>Rule</b>	<b>Date Paid</b>	<b>Total Penalty Received</b>
13690	Avenue of Flags, 631 (MVFF)	Eagle Energy Inc.	Buellton	Failed to submit 2023 Annual Report by due date		05/20/2024	206	11/12/2024	\$250
13687	Highway 246, 3455 E. (MVFF)	Protek Investments, LLC.	Lompoc	Failed to submit 2023 Annual Report by due date		05/20/2024	206	11/18/2024	\$500
13757	MNUS	MANN+HUMMEL Water & Fluid Solutions, Inc.	Goleta	Failed to submit thermal oxidizer source test plan and obtain District approval by due date		06/26/2024	206	11/18/2024	\$590
13758	MNUS	MANN+HUMMEL Water & Fluid Solutions, Inc.	Goleta	Failed to conduct the thermal oxidizer annual source test by due date		06/26/2024	206	11/18/2024	\$7,580
13761	MNUS	MANN+HUMMEL Water & Fluid Solutions, Inc.	Goleta	Failed to submit wet scrubber #2 source test plan and obtain District approval by due date		06/26/2024	206	11/18/2024	\$590
13762	MNUS	MANN+HUMMEL Water & Fluid Solutions, Inc.	Goleta	Failed to perform wet scrubber #2 annual source test by due date		06/26/2024	206	11/18/2024	\$9,980
13844	Ellwood Onshore Facility	Bell Canyon Recreation, LLC.	Goleta	Failed to operate, calibrate, and maintain 6 fenceline H2S detectors in 1H 2024	x	11/15/2024	206	11/18/2024	\$7,320
13845	Ellwood Onshore Facility	Bell Canyon Recreation, LLC.	Goleta	Failed to operate, calibrate, and maintain 6 fenceline H2S detectors in 2H 2024	x	11/15/2024	206	11/18/2024	\$7,320
13846	Ellwood Onshore Facility	Bell Canyon Recreation, LLC.	Goleta	Failed to transmit monitoring data to the District's Data Acquisition System and maintain process monitoring systems from May 30, 2024 through August 22, 2024	x	11/15/2024	206	11/18/2024	\$1,220

**\$35,350**

ATTACHMENT B

Notice of Violations  
December, 2024

January 16, 2025

Santa Barbara County Air Pollution Control District  
Board of Directors

260 San Antonio Road, Suite A  
Santa Barbara, California 93110

### Notices of Violation Issued December 2024

Nov #	Facility	Company	Location	Violation Description	Self Reported	Violation Issued	Rule
13814	C2 Cellars	C2 Cellars	Orcutt	Installed and operated wine storage and fermentation tanks without a District permit		12/02/2024	201, 206
13817	C2 Cellars	C2 Cellars	Orcutt	Exceeded the permitted annual emissions, annual wine fermentation, and annual wine aging/storage limits		12/02/2024	206
13857	Ocean Ave, 1100 E. (MVFF)	GBFUIN, Inc.	Lompoc	Failed to perform Vapor Recovery System testing by the due date		12/05/2024	206
13858	Ocean Ave, 1100 E. (MVFF)	GBFUIN, Inc.	Lompoc	Failed to submit a Permit to Operate application by the due date		12/05/2024	206
13864	J&A Santa Maria - Church St	J&A - Santa Maria, LLC	Santa Maria	Failed to notify the District prior to source testing		12/05/2024	206
13865	J&A Santa Maria - Church St	J&A - Santa Maria, LLC	Santa Maria	Failed to submit source testing results by the due date		12/05/2024	206
13866	J&A Santa Maria - Church St	J&A - Santa Maria, LLC	Santa Maria	Failed to conduct source testing by the due date		12/05/2024	206
13868	Raytheon - Building B-8	Raytheon Company	Goleta	Failed to store solvents in a closed container		12/05/2024	206
13869	J&A Santa Maria - Main St	J&A - Santa Maria II, LLC	Santa Maria	Failed to conduct source testing by the due date		12/06/2024	206

**Penalty Settlement Payments Received December 2024**

<b>Nov #</b>	<b>Facility</b>	<b>Company</b>	<b>Location</b>	<b>Violation Description</b>	<b>Self Reported</b>	<b>Violation Issued</b>	<b>Rule</b>	<b>Date Paid</b>	<b>Total Penalty Received</b>
13163	Space Exploration Technologies	Space Exploration Technologies	VSFB	Installed and operated an emergency/standby diesel generator (Payload Processing Facility Generator Device 388333) that failed to meet the Best Available Control Technology emission requirements and exceeded the permitted emission limits		08/18/2022	206	12/2/2024	\$2,570
13164	Space Exploration Technologies	Space Exploration Technologies	VSFB	Installed and operated an emergency/standby diesel generator (East Launch Pad Generator Device 388334) that failed to meet the Best Available Control Technology emission requirements		08/18/2022	206	12/2/2024	\$535
13165	Space Exploration Technologies	Space Exploration Technologies	VSFB	Failed to perform quarterly portable analyzer testing on a prime engine		08/18/2022	206	12/2/2024	\$1,260
13605	Space Exploration Technologies	Space Exploration Technologies	VSFB	Exceeded the daily solvent emission limit in January, March, April, and May of 2023		3/29/2024	206	12/2/2024	\$4,720
13524	Obispo St., 151	Central Coast Processing, LLC	Guadalupe	Created a public nuisance to a considerable number of persons from a cannabis processing operation		10/26/2023	303	12/16/2024	\$5,855
13826	Obispo St., 151	Central Coast Processing, LLC	Guadalupe	Created a public nuisance to a considerable number of persons from a cannabis processing operation		10/22/2024	303	12/16/2024	\$6,090

**\$21,030**